NKMAXBio We support you, we believe in your research

Human MIF antibody

Catalog Number: AMF0608

PRODUCT INFORMATION

Catalog number

AMF0608

Clone No.

4E4

Product type

Monoclonal Antibody

UnitProt No.

P14174

NCBI Accession No.

NP 002406

Alternative Names

Macrophage migration inhibitory factor, GLIF, MMIF, MIF, EC 5.3.2.1, Phenylpyruvate tautomerase, Glycosylation-inhibiting factor, GIF, Macrophage migration inhibitory factor, macrophage migration inhibitory factor (glycosylation-inhibiting factor),

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human MIF (1-115 aa) purified from E. coli

Isotype

IgG1 kappa

Purification Note

By protein-G affinity chromatography

Application

ELISA, WB, ICC/IF

Usage

The antibody has been tested by ELISA and Western blot analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.



NKMAXBio We support you, we believe in your research

Human MIF antibody

Catalog Number: AMF0608

Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


The cytokine Macrophage migration inhibitory factor (MIF) has been identified to be secreted by the pituitary gland and the monocyte/macrophage and to play an important role in endotoxic shock. MIF has the unique property of being released from macrophages and T cells in response to physiological concentrations of glucocorticoids. The secretion of MIF is tightly regulated and decreases at high, anti-inflammatory steroid concentration.

General References

Weiser WY, et al., (1989) Proc Natl Acad Sci. 86:7522-7526. Bernhagen J, et al., (1994) Biochemistry. 33:14144-14155. Richard B, et al., (1996) FASEB J. 10:1607-1613.


DATA

Western blot analysis (WB)



The cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human MIF antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: Jurkat cell lysate Lane 2.: THP-1 cell lysate Lane 3.: HeLa cell lysate Lane 4.: U937 cell lysate



The cell lysates of HL-60 was resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human MIF antibody (1:1,000). Protein was visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.


Immunocytochemistry/Immunofluorescence (ICC/IF)



NKMAXBio We support you, we believe in your research

Human MIF antibody

Catalog Number: AMF0608



ICC/IF analysis of MIF in Balb/3T3 cells. The cell was stained with AMF0608 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

ICC/IF analysis of MIF in HeLa cells. The cell was stained with AMF0608 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

