

# Human MIF antibody

Catalog Number: AMF0608

## PRODUCT INFORMATION

---

**Catalog number**

AMF0608

**Clone No.**

4E4

**Product type**

Monoclonal Antibody

**UnitProt No.**

P14174

**NCBI Accession No.**

NP\_002406

**Alternative Names**

Macrophage migration inhibitory factor, GLIF, MMIF, MIF, EC 5.3.2.1, Phenylpyruvate tautomerase, Glycosylation-inhibiting factor, GIF, Macrophage migration inhibitory factor, macrophage migration inhibitory factor (glycosylation-inhibiting factor),

## PRODUCT SPECIFICATION

---

**Antibody Host**

Mouse

**Reacts With**

Human

**Concentration**

1mg/ml (determined by BCA assay)

**Formulation**

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

**Immunogen**

Recombinant human MIF (1-115 aa) purified from E. coli

**Isotype**

IgG1 kappa

**Purification Note**

By protein-G affinity chromatography

**Application**

ELISA, WB, ICC/IF

**Usage**

The antibody has been tested by ELISA and Western blot analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.

# Human MIF antibody

Catalog Number: AMF0608

## Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

## BACKGROUND

### Description


The cytokine Macrophage migration inhibitory factor (MIF) has been identified to be secreted by the pituitary gland and the monocyte/macrophage and to play an important role in endotoxic shock. MIF has the unique property of being released from macrophages and T cells in response to physiological concentrations of glucocorticoids. The secretion of MIF is tightly regulated and decreases at high, anti-inflammatory steroid concentration.

### General References

Weiser WY, et al., (1989) Proc Natl Acad Sci. 86:7522-7526.  
Bernhagen J, et al., (1994) Biochemistry. 33:14144-14155.  
Richard B, et al., (1996) FASEB J. 10:1607-1613.


## DATA

### Western blot analysis (WB)



The cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human MIF antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: Jurkat cell lysate  
Lane 2.: THP-1 cell lysate  
Lane 3.: HeLa cell lysate  
Lane 4.: U937 cell lysate




The cell lysates of HL-60 was resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human MIF antibody (1:1,000). Protein was visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

### Immunocytochemistry/Immunofluorescence (ICC/IF)

## Human MIF antibody

Catalog Number: AMF0608



ICC/IF analysis of MIF in Balb/3T3 cells. The cell was stained with AMF0608 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

ICC/IF analysis of MIF in HeLa cells. The cell was stained with AMF0608 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).