PRODUCT INFORMATION

Catalog number ATGA0210

Clone No. AT1G6

Product type Monoclonal Antibody

UnitProt No. Q9NR45

NCBI Accession No. NP_061819

Alternative Names Sialic acid synthase, SAS, N acetylneuraminate synthase

PRODUCT SPECIFICATION

Antibody Host Mouse

Reacts With Human

Concentration 1mg/ml (determined by BCA assay)

Formulation Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen Recombinant human NANS (1-359aa) purified from E. coli

Isotype

lgG1 kappa

Purification Note By protein-G affinity chromatography

Application

ELISA,WB,ICC/IF

Usage

The antibody has been tested by ELISA, Western blot and ICC/IF analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.

Storage



NKMAXBiO We support you, we believe in your research Human NANS antibody Catalog Number: ATGA0210

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

NANS (Sialic acids synthease) is an enzyme that functions in the biosynthetic pathways of sialic acids. Expressed ubiquitously, NANS enzymatically catalyzes the H2O-dependent formation of N-acetylneuraminic acid (Neu5Ac) and 2-keto-3-deoxy-D-glycero-D-galacto-nononic acid (KDN), both of which are sialic acids. NANS uses N-acetylmannosamine 6-phosphate as a substrate for Neu5Ac synthesis and mannose 6-phosphate as a substrate for KDN synthesis.

General References

Milstein O., et al. (2008) J Biol Chem. 283(49):34414-22. Aldape MJ., et al. (2007) J Infect Dis. 195(12):1838-45.

DATA

Western blot analysis (WB)



The cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human NANS antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system. Lane 1.: HeLa cell lysate Lane 2.: HepG2 cell lysate

The cell lysates (10ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human NANS antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system. Lane 1.: 293T cell lysate Lane 2.: NANS Transfected 293T cell lysate

Immunocytochemistry/Immunofluorescence (ICC/IF)



NKMAXBiO We support you, we believe in your research Human NANS antibody Catalog Number: ATGA0210



ICC/IF analysis of NANS in HeLa cells. The cell was stained with ATGA0210 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

