NKMAXBIO We support you, we believe in your research

Recombinant mouse B7-1/CD80 protein

Catalog Number: ATGP3353

PRODUCT INFORMATION

Expression system

Baculovirus

Domain

37-246aa

UniProt No.

000609

NCBI Accession No.

NP 033985

Alternative Names

T-lymphocyte activation antigen CD80, Cd80, Cd28I, Ly-53, Ly53, MIC17, TSA1, Activation B7-1 antigen, B7

PRODUCT SPECIFICATION

Molecular Weight

24.7 kDa (216aa)

Concentration

0.25mg/ml (determined by absorbance at 280nm)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) containing 10% glycerol

Purity

> 95% by SDS-PAGE

Endotoxin level

< 1 EU per 1ug of protein (determined by LAL method)

Biological Activity

Measured by its binding ability in a functional ELISA with Mouse CTLA4 (CAT# ATGP4046).

Tag

His-Tag

Application

SDS-PAGE, Bioactivity

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

Cd80, also known as T-lymphocyte activation antigen CD80, is a member of cell surface immunoglobulin



Recombinant mouse B7-1/CD80 protein

Catalog Number: ATGP3353

superfamily and is expressed on the surface of antigen-presenting cells including activated B cells, macrophages and dendritic cells. It is the ligand for two different proteins on the T cell surface: Cd28 (for autoregulation and intercellular association) and Ctla4 (for attenuation of regulation and cellular disassociation). This protein also plays a role in induction of innate immune responses by activating NF-KB-signaling pathway in macrophages. It is thus regarded as promising therapeutic targets for autoimmune diseases and various carcinomas. Recombinant mouse Cd80, fused to His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.

Amino acid Sequence


DVDEQLSKSV KDKVLLPCRY NSPHEDESED RIYWQKHDKV VLSVIAGKLK VWPEYKNRTL YDNTTYSLII LGLVLSDRGT YSCVVQKKER GTYEVKHLAL VKLSIKADFS TPNITESGNP SADTKRITCF ASGGFPKPRF SWLENGRELP GINTTISQDP ESELYTISSQ LDFNTTRNHT IKCLIKYGDA HVSEDFTWEK PPEDPPDSKN < HHHHHH+>

General References

Peach R., et al. (1995) J. Biol. Chem. 270: 21181-21187. Suvas S., et al. (2002) J. Biol. Chem. 277:7766-7775.


DATA

SDS-PAGE



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain.

Biological Activity



Mouse CD80 is coated at 2 ug/ml (100 ul/well) can bind Mouse CTLA4 (CAT# ATGP4046) in a Functional ELISA assay.

